INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT



We Protect Hoosiers and Our Environment.

Mitchell E. Daniels, Jr. Governor

Thomas W. Easterly Commissioner

100 North Senate Avenue Indianapolis, Indiana 46204 (317) 232-8603 Toll Free (800) 451-6027 www.idem.IN.gov

October 15, 2010

Mr. Scott W. Schutte Astbury Environmental Engineering 5757 West 74th Street Indianápolis, Indiana 46278

> NPDES General Permit No. ING080235 Re:

> > LUST ID No. 2005070508 Facility ID No. 4497 Cloverdale Travel Plaza Cloverdale, Indiana,

Dear Mr. Schutte:

Our office has received your Notice of Intent (NOI) submittal in regards to the above-referenced facility. We are pleased to inform you that the submittal is sufficient to comply with the NOI requirements in 327 IAC 15-10, Wastewater Discharge Associated with Groundwater Petroleum Remediation Systems. The general permit rule requirements are contained in 327 IAC 15-1 through 15-4 and 15-10. Attachment 1 at the end of this permit contains outfall information and a site map.

The NPDES general permit identification number assigned to this facility in the previous approval will be used again in this approval. This number will be used as an identification number and should be included on all correspondence submitted to IDEM in relation to this NPDES general permit. The NPDES general permit number which has been assigned to this facility is:

ING080235.

Due to the fact that 327 IAC 15-10 is a permit by rule, you will NOT be receiving an actual permit. However you will be responsible for following the general rule requirements contained in 327 IAC 15-1 through 15-4 and 15-10, which were sent to you with your original approval letter. Included in general permit rule 327 IAC 15-10 is the requirement for periodic reporting of several effluent parameters. This reporting will continue to be required using the forms that were sent to you previously. Should you need additional copies of this form it is also available on the internet at the following website:

http://www.in.gov/idem/5104.htm

Mr. Scott W. Schutte Page 2

327 IAC 15 is also available on the internet at the following website:

http://www.in.gov/idem/4087.htm

Additionally, you will soon be receiving a supply of the computer generated preprinted federal NPDES DMR forms. Both the state and federal forms need to be completed and submitted on a routine basis. If you do not receive the preprinted DMR forms in a timely manner, please call this office at 317/232-8670.

Renewal of coverage for the facility will include all outfalls listed on Attachment 1 to this correspondence. Since the expiration date of IDEM's previous approval of your facility to operate under 327 IAC 15-10 is **December 31, 2010**, this renewal of coverage under 327 IAC 15-10 shall become effective on **January 1, 2011** unless a person aggrieved or adversely affected by the acceptance appeals this decision. Coverage under this general permit rule expires on **December 31, 2015**. In order to receive authorization to discharge beyond the date of expiration, the permittee shall submit such information and forms as required by the Indiana Department of Environmental Management no later than ninety (90) days prior to the date of expiration.

Please note that any person who is adversely affected or aggrieved by this acceptance for coverage under the cited NPDES general permit rule may, within eighteen (18) days from the mailing date of this notification, appeal this acceptance by filing a written petition for administrative review with the Office of Environmental Adjudication, in accordance with IC 4-21.5-3-7. This petition constitutes a request for an adjudicatory hearing. The procedure for appeal is outlined in more detail on the attached page.

The Office of Environmental Adjudication will provide parties who request review of this acceptance for coverage with notice of prehearing conferences, preliminary hearings, hearing, and stays or orders disposing of all proceedings. Nonparties may receive such notices without intervening and formally becoming parties in the proceeding by requesting copies of such notices from the Office of Environmental Adjudication.

Please note that in accordance with 327 IAC 15-10-5(c), IDEM shall public notice its decision to accept your facility for coverage under the general permit rule.

If you have any questions regarding this letter, please contact Mr. Joe Gwinn of our staff at 317/233-8769.

Sincerely,

Catherine Hess, Chief

Permits Administration Section

Catherine Hess

Office of Water Quality

ATTACHMENT 1

Cloverdale Travel Plaza

NPDES PERMIT NO. ING080235

LUST ID No. 2005070508

Facility ID No. 4497

EFFECTIVE DATE:

OUTFALLS PERMITTED FOR THIS FACILITY

OUTFALL LATITUDE LONGITUDE RECEIVING WATER

001 39 °, 31', 50 " 86 °, 48', 16" unnamed tributary to Ferguson Creek



STATE OF INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

PUBLIC NOTICE NO. 2010 - 10D -GP

DATE OF NOTICE: October 15, 2010

The Office of Water Quality issues the following NPDES GENERAL PERMIT.

RENEWAL

CLOVERDALE TRAVEL PLAZA, Permit No. ING080235, PUTNAM COUNTY, Cloverdale, IN. This is a Groundwater Petroleum Remediation System that will discharge to an unnamed tributary to Ferguson Creek. The Notice of Intent (NOI) letter submitted complies with the requirements in 327 IAC 15-10, Wastewater Discharge Associated with Groundwater Petroleum Remediation System. Permit Writer: Joe Gwinn at 317/233-87698703.

PROCEDURES TO APPEAL

General Permit documents are available for inspection at IDEM, Office of Water Quality/Permit Section, IGCN, 100 N Senate Ave, Indianapolis, IN, Room 1203, from 9 - 4, Monday-Friday (copies 10¢ per page). The General Permit is also available at the local Health Department. Please tell others you think would be interested in this matter.

Appeal Procedure: Any person affected by the issuance of the Final Permit may appeal by filing a Petition for Administrative Review with the Office of Environmental Adjudication within eighteen (18) days of the date of this Public Notice. Any appeal request must be filed in accordance with IC 4-21.5-3-7 and must include facts demonstrating that the party requesting appeal is the applicant; a person aggrieved or adversely affected or is otherwise entitled to review by law.

Timely filing: The Petition for Administrative Review must be received by the Office of Environmental Adjudication (OEA) within 18 days of the date of this Public Notice; either by U.S. Mail postmark or by private carrier with dated receipt. This Petition for Administrative Review represents a request for an Adjudicatory Hearing, therefore must:

- > state the name and address of the person making the request;
- > identify the interest of the person making the request;
- > identify any persons represented by the person making the request;
- state specifically the reasons for the request;
- > state specifically the issues proposed for consideration at the hearing;
- > identify the Final Permit Rule terms and conditions which, in the judgment of the person making the request, would be appropriate to satisfy the requirements of the law governing this NPDES Permit rule.

If the person filing the Petition for Administrative Review desires any part of the NPDES Final Permit Rule to be stayed pending the outcome of the appeal, a Petition for Stay must be included in the appeal request, identifying those parts to be stayed. Both Petitions shall be mailed or delivered to the address here: **Phone:** 317/232-8591.

Environmental Law Judge
Office of Environmental Adjudication
IGC – North Building- Rm 501
100 N. Senate Avenue
Indianapolis IN 46204

Stay Time frame: If the Petition (s) is filed <u>within</u> eighteen (18) days of the mailing of this Public Notice, the effective date of any part of the permit, within the scope of the Petition for Stay is suspended for fifteen (15) days. The Permit will become effective again upon expiration of the fifteen (15) days, unless or until an Environmental Law Judge stays the permit action in whole or in part.

Hearing Notification: Pursuant to Indiana Code, when a written request is submitted, the OEA will provide the petitioner or any person wanting notification, with the Notice of pre-hearing conferences, preliminary hearings, hearing stays or orders disposing of the Petition for Administrative Review. Petition for Administrative Review must be filed in compliance with the procedures and time frames outlined above. Procedural or scheduling questions should be directed to the OEA at the phone listed above.

	•
	2
	•
	•
	•
	•
	r .



Indiana Department of Environmental Management
NPDES General Permit Notice of Intent (NOI) Letter Submittal Application
327 IAC 15-10 Wastewater Discharge Associated with Ground Water Petroleum Remediation Systems

TE PURPOSE OF SUBMIT	TAI.	de verbing	venud h	nio.			For goda	Tool year	
TO DESCRIPTION OF THE PROPERTY	asperalati					14 (2.34 £ 0)	e de la companya de La companya de la companya de l	ABIC NO.	
XX :		35			*	DEM AN			
La contraction of the contractio	···						PA	In	TR.
TL GENERAL INFORMA	TION	ne estado estado Estado estado estado ante	Ole domin			en e		a de la Acti	16 7 3
Desired the complete with seat and seat		allacida Spe r narya Spernarya		del. Folk					plotte i
Scott W. Schutte	Signopia		2005070508						
			5541		Putna	2"		4497	r Veren Naber
COMPANY NAME Astbury Environmental Engineering	internomice de	Latitude				Longitude			
STREET ADDRESS 5757 West 74th Street		,	degree	mi 3,1	oute	second	degree -86	minute 48	Second 16,9
CITY	STATE	ZIPCODE 46278	39		<i>(</i>			70 .	10.2
Indianapolis	IN	40278	DETACTOR		DP4	VIV.		OTATION	COLON.
Cloverdale Travel Plaza			Townsh			Range	Section	ı Qu	artersection
			13N	V HAN		' 4W	25 ir biri eri		
STREET ADDRESS 9756 South County Road 200 W			STREET AI 1032 North	DDRES	S	MOSVA-160-22-0-2-0-2-0-2-0-2-0-2-0-2-0-2-0-2-0-		}	
CITY Cloverdale	STATE IN	ZIP CODE 46120	<u>CITY</u> Cloverdale		·		STATI		CODE 16126
								2	
LIT CONTACT INFO	e respons	i die voorpora	le en car	UO.	X N	Term			
The state of the s		prijerija skalec U coulorede	e const officer			l Sa Shibin			
Le spons it le copporate oblic		dopendim/heis	tions and	onan A					
Fa APPRICAVIESIONATORS CONTA Eric Hayman - Owner	CIPRERSONEAT	ND STATE OF THE ST	Scott W.		dillowed and	// 1	er questo	2410	
The Applicant Sunapoly Conto	- Control of the Cont	Carlotte State Control of the Contro	6 AUTER	200	ERSO	Ne delete	ONE S		
APPENICANIA MANI ADDRINA	65-72 6- 7	576	(317) 472			us sevane	ADDING S		
		*	sschutte					×	Mr.

TIVE OTHER CONTACT INFORMATION			
DISCHARGE MONITORING REPORTS CONTACT AND MATTER TO FORM ATTOR	c. CONTACT AND COMPANY NAME Scott W. Schutte		`:
,	Astbury Environmental Engineering, Inc.		
a. <u>CONTACT TELEPHONE NUMBER</u> ((317) 472-0999	d. STREET ADDRESS 5757 West 74th Street		
b. CONTACT EMAIL ADDRESS sschutte@astburyenviro.com	e. <u>CITY</u> Indianapolis	f <u>STATE</u> IN	g <u>ZIP</u> 46278
CONTACT AND TURNOVALOR OF THE STATE OF THE S	i COMPANY AND CONTACT PERSON NAM	Æ	et energy a
	Astbury Environmental Engineering, Inc. Scott W. Schutte		· .
h CONTACT TELEPHONE NUMBER (317) 472-0999	K STREET ADDRESS 5757 West 74th Street		
i <u>CONTACT EMAIL ADDRESS</u> sschutte@astburyenviro.com	I. <u>CITY</u> Indianapolis	m. <u>STATE</u> IN	n. <u>ZIP</u> 46278
SOFFICE CONDACT AND MALLINGUIT FOR MALION AND SELECTED BEFORE	q. COMPANY AND CONTACT PERSON NAI	ME	
6. CONTACT TELEPHONE NUMBER	r. STREET ADDRESS		
COLDA CO TA LA LATA DESCRIPTION	CHOM		
p. CONTACT EMAIL ADDRESS	s. <u>CITY</u>	t. STATE	u. ZIP

PROLED (O)SYMBER DECEMBED IN

The purpose of this rule is to establish discharge requirements for point source discharges of wastewater associated with ground water remediation systems. "Wastewater discharge associated with ground water remediation system" means the discharge from any conveyance which is used for collecting and conveying wastewater which is directly related to the ground water remediation system. Does the facility fall into this category? (please check one)

XX

An extraction system collects groundwater contaminated with petroleum products. The collected water is passed through an air stripping unit to remove the organics compounds. Treated groundwater is then discharged to the outfall. Additional treatment can be provided using granulated carbon filters as a polish if required to meet the discharge permit concentration limits.

	a acros		S)		e in cle		Cappressor in Cabrication Commence of the Cabrication Commence of the Cabrication Commence				Pico Vid
OUTA					lann.		A SPECIA WAS RESPONDED THE HARGED TO THE	SECEIVING VETER		- MUSE	roi or
)p1	39	31	47.2	-86	48	16.5	Treated groundwater	Ferguson Creek	Y/ ©		
,									Y/N		
									Y/N		
			v				engangangan ana ana ang an ang ang ang an	and the second s	Y/N	an kampanin sa mambin sa san sa naid	والمعارض وال
			٠.		-	:			Y/N		
									Y/N		
	_	.							Y/N		

 $(x_1, \dots, x_n) = (x_1, \dots, x_n) = (x_1, \dots, x_n) = (x_1, \dots, x_n) = (x_1, \dots, x_n)$

PROOF OF PUBLICATION

It is required that a public notice statement be published in a newspaper of largest circulation in the area where the discharge(s) will be occurring. This publication must be in the newspaper for a minimum of one day and must include the following language: (your facility name, address, address of the location of the discharging facility, and the streams receiving the discharge(s)) "is submitting a Notice of Intent letter to notify the Indiana Department of Environmental Management of our intent to comply with the requirement under 327 IAC 15-10 to discharge wastewater associated with ground water petroleum remediation systems. Any person aggrieved by this action may appeal in writing to the Environmental Law Judge of the Office of Environmental Adjudication for an adjudicatory hearing on the question of whether this facility should operate under this NPDES general permit rule. An appeal must be postmarked no later than fifteen (15) days from the date of this public notice. Such a written request for an adjudicatory hearing must:

- (A) state the name and address of the person making the request;
- (B) identify the interest of the person making the request;
- (C) identify any persons represented by the person making the request;
- (D) state with particularity the reasons for the request;
- (E) state with particularity the issues proposed for consideration at the hearing; and
- (F) state with particularity the reasons why the NPDES general permit rule should not be available to the discharger identified in this notice.

Any such request shall be mailed or delivered to:
Office of Environmental Adjudication
Indiana Government Center – North
100 North Senate Avenue, Room 501
Indianapolis, Indiana 46204"

Please attach proof of publication of this statement from the newspaper to the application and submit both together.

多点思维的影響的(Ohter) 作用的对影性的是是对此的社会和的重要的研究(O) (1222年170) 510年

Pursuant to IC 4-21.5 it is required that a Potentially Affected Person form be completed and submitted with this application. The form is attached.

Please fill out this form in its entirety and submit it with the application.

ACCIDING OF A PROPERTY.

A fee is required to be submitted with this application in accordance with IC 13-18-20-12. The fee is \$50 for the initial submittal (for a new permit) or for an application for renewal or modification.

Please list amount submitted $$\frac{50.00}{}$, attach to and submit with application. Checks or money orders shall be made payable to IDEM.

and the first of the first of the second The second of the second of

en de la composition La composition de la La composition de la La composition de la

processing wall action on the first of the second of the s

X CERTIFICATION STATEMENT

It is required by 327 IAC 15-4-3 (g) (3) that the following statement shall be included in the application. The authorized representative (as defined by 327 IAC 15-4-3(g)(2) and identified in item IIIa above) makes the following certification by signed and dating this section of the application below:

"I certify under penalty of law that this document and all its attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Eric Hayman - Owner

745-720-7576

Maline and Society (Contraction for the Contraction for the Contraction

Submit completed form and attachments to the following address:

Indiana Department of Environmental Management
Office of Water Quality – Mail Code 65-42
NPDES Permits Section
100 North Senate Avenue
Indianapolis, Indiana 46204-2251

and the first of the first of the second of the first of the first of the first of the second of the

1) **Facility Identification:** The following addresses are the facility's location and its mailing address.

Location

Cloverdale Travel Plaza 1032 N. Main Street Cloverdale, Indiana 46120 **Mailing**

Cloverdale Travel Plaza, Inc. – Eric Hayman 9756 South CR 200W Cloverdale, IN 46120

2) Standard Industrial Classification (SIC) Code

SIC Code - 5541: Gasoline service station

3) Owner / Operator:

The owner and operator of the facility is:

Cloverdale Travel Plaza, Inc. 8091 South CR 250 W Cloverdale, IN 46120

4) Facility Location

The facility is located in Township 13N, Range 4W, Section 25, Southeast Quarter Section (see Figure 1).

5) Receiving Waters

The receiving water of the discharge is an un-named ditch tributary to Ferguson Creek.

6) Location of the Point Source Discharge

Please see Figure 1, the Site Location Map, for identification of the location of the Point Source Discharge.

7) Outfall Identification

The outfall associated with groundwater petroleum remediation system discharge is identified as outfall #001.

